



MAR 9 8 2004

**Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.**

PTO/SB/08b (08-03)

Approved for use through 06/30/2003. OMB 0851-0031

Substitute for form 1449B/PTO

## **INFORMATION DISCLOSURE STATEMENT BY APPLICANT**

*(Use as many sheets as necessary)*

Sheet

1

1

1

*Attorney Docket Number*

*Complete if Known*

10/076-708

February 15, 2002


Satish K. Sharma

1646

Chernyshev Olga N

Sheet 1 of 1 Attorney Docket Number 6322.N

## **NON PATENT LITERATURE DOCUMENTS**

Examiner Signature		Date Considered	6/1/04
-----------------------	---	--------------------	--------

**\*EXAMINER:** Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

**1. Applicant's unique citation designation number (optional). 2. Applicant is to place a check mark here if English language Translation is attached.**

**Applicant's Unique Citation Designation Number (optional). -** Applicant is to place a check mark here if English language translation is attached.  
This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

<p style="text-align: center;"><b>LIST OF REFERENCES CITED BY APPLICANT</b>  <i>(use several sheets if necessary)</i></p> <p style="text-align: right;">FEB. 03 2003</p> <p style="text-align: center;">U.S. PATENT &amp; TRADEMARK OFFICE</p>	Atty. Docket No.	Serial No.
	6322.N	10/076,708
	Applicant SK Sharma, KB Rank	
Filing Date 02/15/2002	Group 1641	

**U.S. PATENT DOCUMENTS**

Examiner Initial		Document Number	Date	Name	Class	Subclass	Filing Date If Appropriate
	AA						
	AB						
	AC						
	AD						
	AE						
	AF						
	AG						
	AH						
	AI						

**RECEIVED**

FEB 05 2003

TECH CENTER 1600/2000

**FOREIGN PATENT DOCUMENTS**

		Document Number	Date	Country	Class	Subclass	Translation	
							Yes	No
	AJ							
	AK							
	AL							
	AM							
	AN							

**OTHER PRIOR ART (Including Author, Title, Date, Pertinent Pages, Etc.)**

AO	Bancher, C. et al., "Accumulation of abnormally phosphorylated $\tau$ precedes the formation of neurofibrillary tangles in Alzheimer's disease," Brain Research 477(1-2):90-99 [1989];
AP	Bondareff, W. et al., "Molecular analysis of neurofibrillary degeneration in Alzheimer's Disease," American J. of Pathology 137(3):711-23 [1990];
AQ	Caceres, A. et al., "Inhibition of neurite polarity by tau antisense oligonucleotides in primary cerebellar neurons," Nature 343(6257):461-63 [1990];
AR	Drubin, D.G. et al., "Tau protein function in living cells," J. Cell Biology 103(6 PT 2):2739-46 [1986];
AS	Evans, D.B. et al., "Tau phosphorylation at Serine 396 and Serine 404 by human recombinant Tau protein kinase II inhibits Tau's ability to promote microtubule assembly," J. Biological Chemistry 275(32):24977-983 [2000];
AT	Glenner, G.G. et al., "Alzheimer's Disease: Initial report of the purification and characterization of a novel cerebrovascular amyloid protein," Biochemical and Biophysical Research Communications 120(3):885-90

LIST OF REFERENCES CITED BY APPLICANT <i>(Use several sheets if necessary)</i>		Atty. Docket No. 6322.N	Serial No. 10/076,708																																						
		Applicant SK Sharma, KB Rank	Filing Date 02/15/2002	Group FEB 5 2003 TECH CENTER 1600/2900																																					
<p style="text-align: right;">RECEIVED</p> <p style="text-align: right;">FEB 5 2003</p> <p style="text-align: right;">[1984];</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>AV</td><td>Goedert, M. et al., "Cloning and sequencing of the cDNA encoding a core protein of the paired helical filament of Alzheimer disease: Identification as the microtubule-associated protein tau," PNAS 85:4051-55 [1988];</td></tr> <tr><td>AW</td><td>Goedert, M. et al., "Multiple isoforms of human microtubule-associated protein tau: Sequences and localization in neurofibrillary tangles of Alzheimer's Disease," Neuron 3(4):519-26 [1989];</td></tr> <tr><td>AX</td><td>Goedert, M. et al., "Expression of separate isoforms of human tau protein: correlation with the tau pattern in brain and effects on tubulin polymerization," The EMBO Journal 9(13): 4225-30 [1990];</td></tr> <tr><td>AY</td><td>Goedert, Michael, "Tau protein and the neurofibrillary pathology of Alzheimer's Disease," Trends in Neuroscience 16(11):460-65 [1993];</td></tr> <tr><td>AZ</td><td>Greenberg, S.G., et al., "A preparation of Alzheimer paired helical filaments that displays distinct <math>\tau</math> proteins by polyacrylamide gel electrophoresis," PNAS 87(15):5827-31 [1990];</td></tr> <tr><td>BO</td><td>Himmller, Adolf, "Structure of the bovine tau gene: Alternatively spliced transcripts generate a protein family," Molecular and Cellular Biology 9(4):1389-96 [1989];</td></tr> <tr><td>BP</td><td>Horio, T. et al., "Visualization of the dynamic instability of individual microtubules by dark-field microscopy," Nature 321(6070):605-7 [1986];</td></tr> <tr><td>BQ</td><td>Kosik, K.S., "Tau protein and Alzheimer's disease," Current Opinion in Cell Biology 2(1):101-4 [1990];</td></tr> <tr><td>BR</td><td>Kosik, K.S., "Alzheimer plaques and tangles: advances on both fronts," TINS 14(6):218-19 [1991];</td></tr> <tr><td>BS</td><td>Kosik, K.S. et al., "Microtubule-associated protein tau (<math>\tau</math>) is a major antigenic component of paired helical filaments in Alzheimer disease," PNAS 83(11):4044-48 [1986];</td></tr> <tr><td>BT</td><td>Ksiezak-Reding et al., "Structural stability of paired helical filaments requires microtubule-binding domains of tau: A model for self-association," Neuron 6(5):717-28 [1991];</td></tr> <tr><td>BU</td><td>Lee, G. et al., "The primary structure and heterogeneity of tau protein from mouse brain," Science 239(4837):285-88 [1988];</td></tr> <tr><td>BV</td><td>Lee, V.M.-Y., et al., "A68: A major subunit of paired helical filaments and derivatized forms of normal tau," Science 251(4994):675-78 [1991];</td></tr> <tr><td>BW</td><td>Lee, V.M.-Y., et al., "The disordered neuronal cytoskeleton in Alzheimer's disease," Current Opinion in Neurobiology 2(5):653-56 [1992];</td></tr> <tr><td>BX</td><td>Mailliot, C. et al., "Phosphorylation of specific sets of tau isoforms reflects different neurofibrillary degeneration processes," FEBS Letters 433(3):201-04 [1998];</td></tr> <tr><td>BY</td><td>Spillantini, M.G. et al., "Tau protein pathology in neurodegenerative diseases," Trends in Neuroscience 21(10):428-33 [1998];</td></tr> <tr><td>BZ</td><td>Weingarten, M.D. et al., "A protein factor essential for microtubule assembly," PNAS 72(5):1858-62 [1975].</td></tr> <tr><td>CO</td><td></td></tr> <tr><td>CP</td><td></td></tr> </table>				AV	Goedert, M. et al., "Cloning and sequencing of the cDNA encoding a core protein of the paired helical filament of Alzheimer disease: Identification as the microtubule-associated protein tau," PNAS 85:4051-55 [1988];	AW	Goedert, M. et al., "Multiple isoforms of human microtubule-associated protein tau: Sequences and localization in neurofibrillary tangles of Alzheimer's Disease," Neuron 3(4):519-26 [1989];	AX	Goedert, M. et al., "Expression of separate isoforms of human tau protein: correlation with the tau pattern in brain and effects on tubulin polymerization," The EMBO Journal 9(13): 4225-30 [1990];	AY	Goedert, Michael, "Tau protein and the neurofibrillary pathology of Alzheimer's Disease," Trends in Neuroscience 16(11):460-65 [1993];	AZ	Greenberg, S.G., et al., "A preparation of Alzheimer paired helical filaments that displays distinct $\tau$ proteins by polyacrylamide gel electrophoresis," PNAS 87(15):5827-31 [1990];	BO	Himmller, Adolf, "Structure of the bovine tau gene: Alternatively spliced transcripts generate a protein family," Molecular and Cellular Biology 9(4):1389-96 [1989];	BP	Horio, T. et al., "Visualization of the dynamic instability of individual microtubules by dark-field microscopy," Nature 321(6070):605-7 [1986];	BQ	Kosik, K.S., "Tau protein and Alzheimer's disease," Current Opinion in Cell Biology 2(1):101-4 [1990];	BR	Kosik, K.S., "Alzheimer plaques and tangles: advances on both fronts," TINS 14(6):218-19 [1991];	BS	Kosik, K.S. et al., "Microtubule-associated protein tau ( $\tau$ ) is a major antigenic component of paired helical filaments in Alzheimer disease," PNAS 83(11):4044-48 [1986];	BT	Ksiezak-Reding et al., "Structural stability of paired helical filaments requires microtubule-binding domains of tau: A model for self-association," Neuron 6(5):717-28 [1991];	BU	Lee, G. et al., "The primary structure and heterogeneity of tau protein from mouse brain," Science 239(4837):285-88 [1988];	BV	Lee, V.M.-Y., et al., "A68: A major subunit of paired helical filaments and derivatized forms of normal tau," Science 251(4994):675-78 [1991];	BW	Lee, V.M.-Y., et al., "The disordered neuronal cytoskeleton in Alzheimer's disease," Current Opinion in Neurobiology 2(5):653-56 [1992];	BX	Mailliot, C. et al., "Phosphorylation of specific sets of tau isoforms reflects different neurofibrillary degeneration processes," FEBS Letters 433(3):201-04 [1998];	BY	Spillantini, M.G. et al., "Tau protein pathology in neurodegenerative diseases," Trends in Neuroscience 21(10):428-33 [1998];	BZ	Weingarten, M.D. et al., "A protein factor essential for microtubule assembly," PNAS 72(5):1858-62 [1975].	CO		CP	
AV	Goedert, M. et al., "Cloning and sequencing of the cDNA encoding a core protein of the paired helical filament of Alzheimer disease: Identification as the microtubule-associated protein tau," PNAS 85:4051-55 [1988];																																								
AW	Goedert, M. et al., "Multiple isoforms of human microtubule-associated protein tau: Sequences and localization in neurofibrillary tangles of Alzheimer's Disease," Neuron 3(4):519-26 [1989];																																								
AX	Goedert, M. et al., "Expression of separate isoforms of human tau protein: correlation with the tau pattern in brain and effects on tubulin polymerization," The EMBO Journal 9(13): 4225-30 [1990];																																								
AY	Goedert, Michael, "Tau protein and the neurofibrillary pathology of Alzheimer's Disease," Trends in Neuroscience 16(11):460-65 [1993];																																								
AZ	Greenberg, S.G., et al., "A preparation of Alzheimer paired helical filaments that displays distinct $\tau$ proteins by polyacrylamide gel electrophoresis," PNAS 87(15):5827-31 [1990];																																								
BO	Himmller, Adolf, "Structure of the bovine tau gene: Alternatively spliced transcripts generate a protein family," Molecular and Cellular Biology 9(4):1389-96 [1989];																																								
BP	Horio, T. et al., "Visualization of the dynamic instability of individual microtubules by dark-field microscopy," Nature 321(6070):605-7 [1986];																																								
BQ	Kosik, K.S., "Tau protein and Alzheimer's disease," Current Opinion in Cell Biology 2(1):101-4 [1990];																																								
BR	Kosik, K.S., "Alzheimer plaques and tangles: advances on both fronts," TINS 14(6):218-19 [1991];																																								
BS	Kosik, K.S. et al., "Microtubule-associated protein tau ( $\tau$ ) is a major antigenic component of paired helical filaments in Alzheimer disease," PNAS 83(11):4044-48 [1986];																																								
BT	Ksiezak-Reding et al., "Structural stability of paired helical filaments requires microtubule-binding domains of tau: A model for self-association," Neuron 6(5):717-28 [1991];																																								
BU	Lee, G. et al., "The primary structure and heterogeneity of tau protein from mouse brain," Science 239(4837):285-88 [1988];																																								
BV	Lee, V.M.-Y., et al., "A68: A major subunit of paired helical filaments and derivatized forms of normal tau," Science 251(4994):675-78 [1991];																																								
BW	Lee, V.M.-Y., et al., "The disordered neuronal cytoskeleton in Alzheimer's disease," Current Opinion in Neurobiology 2(5):653-56 [1992];																																								
BX	Mailliot, C. et al., "Phosphorylation of specific sets of tau isoforms reflects different neurofibrillary degeneration processes," FEBS Letters 433(3):201-04 [1998];																																								
BY	Spillantini, M.G. et al., "Tau protein pathology in neurodegenerative diseases," Trends in Neuroscience 21(10):428-33 [1998];																																								
BZ	Weingarten, M.D. et al., "A protein factor essential for microtubule assembly," PNAS 72(5):1858-62 [1975].																																								
CO																																									
CP																																									
Examiner <i>Meynard</i>	Date Considered 6/11/04																																								